

Index to Volume 9*

A

- AAACT/AAPCC joint meeting, program and abstracts, 3-31
- Acidosis, "bicarbonate resistant," in association with ethylene glycol intoxication, 53-60
- Activated charcoal, influence of "thickening" agents on antidotal efficacy of, 89-92
- ADI, 802-804
- Adverse drug effects, precipitated by microfilariae of *Dirofilaria immitis*, 981-982
- Aerosols, inhalation toxicology, 849-921
sniffing, clinical toxicology of, 169-184
- Aflatoxicosis, equine, 251-254
- Agricultural chemicals, food safety and, 687-688
- Air pollutants, diseases due to, 923-927, 943-954
- Alcoholic beverages, cancer and, 698-699
- Alcoholism, in the work force, 185-197
- Alcohol withdrawal, convulsions in mice during, enhancement of by haloperidol, 427-434
- Aldinger, G., 529-538
- Alexander, G. J., 435-446
- Allergens, in foods, naturally occurring, 656-657
- American Academy of Clinical Toxicology, fellowships in, 835-837
- American Association of Poison Control Centers, membership list for, 295-324
- Amphetamines, abuse of the term, editorial, 351-352
quality of street drugs, an update, 153, 159
- Angle, C. R., 419-425
- Animal studies, adverse drug effects precipitated by microfilariae of *Dirofilaria immitis*, 981-982
convulsions in mice during alcohol withdrawal, enhancement of by haloperidol, 427-434
extrapolation of animal data to humans, 709-722
phencyclidine, behavioral pharmacology of, 513-528
phencyclidine, tissue distribu-

*This index contains the names of all contributors to Volume 9, 1976.

- [Animal studies, continued]
 tion of in the rat, 573-582
 phencyclidine metabolites, in rats, 583-591
 resistance to toxin in toxoid-immunized mice exposed to ozone or nitrogen dioxide, 943-954
 swimming endurance in rats, effect of exposure to nitrogen dioxide on, 937-942
 toxins, extrapolation from mice to humans in testing of, 796-797
 tumor induction in mice, effect of dietary selenium on, 273-279
 Antidepressant drugs, overdose, management of circulatory complications in, 255-272
 Apomorphine, stable solution of, 199-202
 Arsenic, in foods, naturally occurring, 657-660
 Artificial sweeteners, cancer and, 700-701

B

- Backer, R. C., 69-74
 Balster, R. L., 513-528
 Barbiturates, mass screening and confirmation of in urine by RIA/gas chromatography, 221-233
 Bees, killer bees, 463-470
 Behavioral toxicology, in food safety evaluation, 731-743
 Bentonite, influence of on antidotal efficacy of activated charcoal, 89-92
 Biemann, K., 583-591
 Biotoxins, editorial, 1-2
 Blum, K., 427-434
 Bolter, A., 593-600
 Borgstrom, G., 625-631
 Bradshaw, L. R. A., 633-646
 Brain lesion, hexachlorophene-induced, 969-979
 Briddlecombe, R. W., 731-743
 Brown, B. I., 539-545
 Brown, J. K., 145-168
 Brown, T. C. K., 255-272
 Budd, R. D., 221-233
 Burns, R. S., 477-501

C

- Cadmium, blood level of in normal children, 75-87
 Callenbach, J., 33-51
 Campbell, K. I., 849-921, 929-936, 937-942, 943-954
 Cancer, human, dietary influence on, 694-695
 dietary selenium, relation to, 273-279
 See also Carcinogens
 Canine heartworm, adverse drug effects precipitated by microfilariae of *Dirofilaria immitis*, 981-982
 Caplan, Y. H., 69-74
 Carcinogenicity, analysis of mathematical models used in data extrapolation, 791-797
 of DDT, as documented by EPA, 827-833
 tests for, significance to man, 745-760
 Carcinogens, chemicals used in graphic arts industry, 359-390
 food additives, 698 ff.
 food safety and, 688, 699
 Kepone, carcinogenesis bioassay of, 603-607
 mutagenic screening test for, 761-771
 Case, A. A., 963-967
 Cate, IV, J., 235-243
 Chait, L. S., 513-528
 Children, cadmium, lead, and copper blood levels of in

- [Children, continued]
normal children, 75-87
lead poisoning in, 33-51
safety packaging of drugs,
effectiveness of, 419-425
salicylate poisoning in, com-
plicated by fluid retention,
61-68
tricyclic antidepressant over-
dosage, management of cir-
culatory complications in,
255-272
Chinn, D. M., 221-233
Chlordecone, carcinogenesis
bioassay of, 603-607
Cholinesterase activity units,
interconversion of by
manual Δ pH method and a
recommended automated
method, 353-358
Clarkson, M., 235-243
Cocaine, quality of street drugs,
an update, 153-155, 159-160
Codex Alimentarius, 807-809
Cole, C., 185-197
Colic, endemic, 678
Comstock, E. G., 169-184
Copper, blood level of in normal
children, 75-87
Cyclamate, 700-701

D

- D'Amato, N. A., 235-243
Danish positive list, 805-806
Data analysis, for carcinogeni-
city studies, 791-797
extrapolation from animal
studies to humans, 709-722
Davis, B. B., 53-60
DDT, average intake and storage
for humans in the United
States, 123-124
carcinogenicity of as docu-
mented by EPA, 827-833
levels in humans, 451-455
De Castro, F. J., 199-202

- Diacetylmorphine, quality of
street drugs, an update, 156,
160-161
Diazinon poisoning, of goslings,
treatment, 245-249
Done, A. K., 61-68
Drug abuse, phencyclidine, 473-475,
477-501, 529-538, 593-600
quality of street drugs, an up-
date, 145-168
urine samples, screening for
drugs of abuse, 203-219
in the work force, 185-197
Drug abuse programs, phencycli-
dine abuse, out-patient clinical
experience, 593-600
Drug interactions, 107-118
of phencyclidine and other drugs,
518-520
Dyes, in graphic arts industry,
toxicologic and cancerogenic
evaluation of, 365-367

E

- Egyed, M. N., 245-249
Eilat, A., 245-249
Ellin, R. I., 353-358
Elliott, S. C., 273-279
Emetics, apomorphine, stable
solution of, 199-202
Endemic colic, 678
Environmental health, 845 ff.
Epidemiology, in food safety
evaluation, 665-690, 691-708
Epping jaundice, 675-677
Equine aflatoxicosis, first case
of, 251-254
Ethylene glycol intoxication,
"bicarbonate resistant"
metabolic acidosis in associ-
ation with, 53-60
Eubanks, J. D., 427-434
European Economic Communities,
food safety legislation, 806-
807
Exon, J. H., 273-279

F

- Fauman, B., 529-538
 Fauman, M., 529-538
 Fluid retention, as complication of salicylate poisoning, 61-68
 Food and Drug Act, food safety and, 815-821
 Food additives, 699-700
 Foods, behavioral toxicology in evaluation of food safety, 731-743
 epidemiology in food safety evaluation, 665-690, 691-708
 International Symposium on the Health Effects of Chemicals in Foods, papers, 621-826
 introduction and fate of foreign chemicals in, 633-646
 metabolic patterns in teratogenic testing for food safety, 773-790
 problems in evaluating food safety, 799-810
 toxicants, naturally occurring, 647-663
 Frice, H., 823-826
 Fry, M., 593-600

G

- Garlick, N. L., 981-992
 George, D. J., 61-68
 Gillette, J. R., 709-722
 Glue sniffing, clinical toxicology of, 169-184
 Gonorrhea, CDC recommended treatment schedules (1974), 129-137
 Government expenditures, on losing our freedom, editorial, 119-121
 Graphic arts industry, toxicologic and cancerogenic

evaluation of chemicals used in, 359-390

- Grasso, P., 745-760
 Green, D. E., 561-572
 Green, V. A., 33-51
 Greene, H. J., 251-254
 Grendon, A., 791-797
 Groff, W. A., 353-358
 Grush, M. L., 419-425
 Gupta, R. C., 503-511
 Gwilt, P. R., 89-92

H

- Hall, L. L., 929-936
 Haloperidol, enhancement of convulsions in mice by during alcohol withdrawal, 427-434
 Halstead, B. W., 1-2
 Hamilton, H., 427-434
 Hashish, quality of street drugs, an update, 152-153, 159
 Hash oil, quality of street drugs, an update, 152-153, 159
 Hayden, J. W., 169-184
 Health Effects of Chemicals in Foods, International Symposium on, papers, 621-826
 Hemagglutination inhibition, drug screening of urine using, 435-446
 Heminger, A., 593-600
 Heroin, quality of street drugs, an update, 156, 160-161
 Hexachlorophene, pharmacodynamics and neurotoxicity of, 969-979
 Higginson, J., 691-708
 Hilsenroth, R. H., 943-954
 Hussar, D. A., 107-118

I

- Illicit drugs. See Street drugs
 Immune mechanism, resistance to toxin in toxoid-immunized mice exposed to ozone or

nitrogen dioxide, 943-954
 Industrial physician, 955-961
 Infants, drug therapy and, editorial, 93-108
 Inhalation toxicology, 849-921
 Ink pigments, in graphic arts industry, toxicologic and cancerogenic evaluation of, 365-367
 Insect sting kit, 447
 Ion exchange papers, drug screening of urine using, 435-446
 Ipecac, as emetic in poisoning cases, telephone management of use of, 407-419

J

Jaeger, R. W., 199-202
 Jain, N. C., 221-233
 James, S. H., 573-582
 Jones, H. B., 791-797

K

Kaminskis, A., 353-358
 Kay, K., 359-390
 Kepone, carcinogenesis bioassay of, 603-607
 Khera, K. S., 773-790
 Killer bees, 463-470
 Kimbrough, R. C., 969-979
 Koller, L. D., 273-279

L

Lead, blood level of in normal children, 75-87
 Lead poisoning, 33-51, 779, 781 in graphic arts industry, 374-375
 Le Riche, W. H., 665-690
 Lerner, S. E., 477-501
 Leung, W. J., 221-233
 Levin, H. S., 391-405
 LSD, quality of street drugs, an update, 149-150, 157

Luisada, P. V., 539-545
 Lundberg, G. D., 503-511

M

MacLean, D., 553-560
 MacLeod, Jr., W. D., 561-572
 Malaria, CDC recommended treatment schedule (1974), 137-140
 Malkinson, M., 245-249
 Malone, M. H., 145-168
 Marijuana, quality of street drugs, an update, 151-152, 158
 Martin, G., 593-600
 Mathematical models, in data extrapolation, analysis of, 791-797
 McIntire, M. S., 419-425
 McKinley, W. P., 621-623
 MDA, quality of street drugs, an update, 155-156, 160
 Mescaline, quality of street drugs, an update, 147-149, 157
 Metabolic patterns, teratogenic testing for food safety, significance of, 773-790
 2,2'-Methylenebis-3,4,6-trichlorophenol. See Hexachlorophene
 Methylenedioxyphenylisopropylamine (MDA), quality of street drugs, an update, 155-156, 160
 Methylmercury poisoning, 778-779
 Michelis, M. F., 53-60
 Mirkin, B. L., 93-106
 Mitchell, B., 53-60
 Montgomery, S. H., 503-511
 Morrison, A. B., 811-821
 Munro, I. C., 647-663
 Mutagens, food safety and, 688, 704
 screening tests for carcinogenicity, 761-771
 Mycotoxins, in foods, naturally

- [Mycotoxins, continued]
 occurring, 652-656
 food safety and, 699
 Myint, T., 955-961

N

- Narcotics, quality of, an update,
 145-168
 street drug identification pro-
 gram, report for July 1975,
 281-293
 See also Drug abuse
 Neonatology, drug therapy and,
 editorial, 93-108
 metabolic patterns in terato-
 genic testing for food safety,
 773-790
 Newborn, drug therapy and, edi-
 torial, 93-108
 Nitrites, as food additive, 699-
 700
 Nitrogen dioxide, resistance to
 toxin in toxoid-immunized
 mice exposed to, 943-954
 swimming endurance in rats,
 effect of exposure to on,
 937-942
 toxic response to, influence
 of exposure pattern on, 929-
 936

O

- Oehme, F. W., 251-254
 Opiates, in urine, determination
 by spin immunoassay, 235-
 243
 Opium, quality of street drugs,
 an update, 156, 161
 Organometal complexes, in
 foods, naturally occurring,
 657-660
 Organophosphorus pesticides,
 animal poisoning by, treat-
 ment of, 245-249
 behavioral effect of in man,

391-405

- Ozone, resistance to toxin in tox-
 oid-immunized mice exposed
 to, 943-954

P

- Palmes, E. D., 723-730
 Paralysis, food-related, 679-683
 PCP. See Phencyclidine
 Peat, M. A., 203-219
 Perrier, D., 89-92
 Pesticides, animal poisoning by,
 treatment of, 245-249
 food safety and, 687-688
 organophosphate, behavioral
 effects of in man, 391-405
 Pharmacokinetic principles, use
 in extrapolation of animal
 data to humans, 709-722
 Phencyclidine (PCP), 473-475
 acute intoxication, 477-501
 automated analysis of in urine
 by probability based matching
 GC/MS, 561-572
 behavioral pharmacology of,
 animal studies, 513-528
 clinical and forensic experiences
 with, 547-552
 illicit synthesis of, 553-560
 metabolites of, 583-591
 overdose, detection and treat-
 ment of, 281 ff.
 psychiatric sequelae of abuse
 of, 529-538
 street drug analysis of, 503-511
 tissue distribution of in the rat,
 573-582
 1-(1-Phenylcyclohexyl)piperidine.
 See Phencyclidine
 Pigments, in graphic arts industry,
 toxicologic and cancerogenic
 evaluation of, 365-367
 Poirier, L. A., 761-771
 Poisoning, safety packaging of
 drugs, effectiveness of,
 419-425

- telephone management of
using syrup of ipecac, 407-417
- Poulsen, E., 799-810
- Prenatal care, drug therapy and,
editorial, 93-108
- Psilocybin, quality of street
drugs, an update, 150, 158
- Psychosis, organophosphate
pesticide-induced, 397-399
- phencyclidine-induced, 529-538, 539-545

R

- Radioimmunoassay, urine
samples, mass screening
for barbiturates, 221-233
- Reading, J. C., 75-87
- Regulatory control, of chemicals
in food, 811-821
- Reynolds, P. C., 547-552
- Rodnitzky, R. L., 391-405
- Rosen, P., 529-538

S

- Saccharine, cancer and, 700-701
- Safety packaging, of drugs,
effectiveness of, 419-425
- Salicylate poisoning, complicated by fluid retention,
61-68
- Salpingitis, acute, CDC recommended treatment schedule
(1974), 132-134
- Saxitoxin, editorial, 1-2
- Schnoll, S. H., 573-582
- Seet, E., 561-572
- Selenium, dietary, effect of on
tumor induction in mice by
an oncogenic virus, 273-279
- Shellfish poison, editorial, 1-2
- Shlosberg, A., 245-249
- Shock, drug-induced, adverse
drug effects precipitated by
microfilariae of *Dirofilaria*

immitis, 981-982

- Shulgin, A. T., 553-560
- Simmon, V. F., 761-771
- Smith, T. J., 75-87
- Sneath, T. C., 221-233
- Sodium carboxymethylcellulose,
influence of on antidotal efficacy of activated charcoal,
89-92
- Solvent abuse, clinical toxicology
of, 169-184
- Solvents, in graphic arts industry,
toxicologic and cancerogenic
evaluation of, 367-370
- Spin immunoassay, opiates in
urine, 235-243
- STASH, 325-337
- Street drugs, identification program, report for July 1975,
281-293
quality of, an update, 145-168
- PCP, analysis of, 503-511
- Strickland, J., 235-243
- Subclinical effects, of chemicals,
723-730
- Syphilis, CDC recommended treatment schedules (1974), 127-129
- Syrup of ipecac, as emetic in
poisoning cases, telephone
management of use of, 407-419

T

- 2,4,5-T poisoning, 781-782
- TCDD. See 2,3,7,8-Tetrachlorodibenzo-p-dioxin
- Temple, A. R., 61-68, 75-87,
407-417
- Teratogens, food safety and, 688,
704-705
metabolic patterns in teratogenic testing for food safety,
773-790
- 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD), 782-783

- [2,3,7,8-Tetrachlorodibenzo-p-dioxin, continued]
poisoning, clinical aspects of, 963-967
- Tetrahydrocannabinol (THC),
quality of street drugs, an update, 150-151, 158
- Thompson, J. A., 61-68
- Tolerable weekly intake, 804
- Toxaphene poisoning, 675
- Toxicants, in foods, naturally occurring, 647-663
- Toxins, extrapolation from mice to humans in testing of, 796-797
resistance to toxin in toxoid-immunized mice exposed to ozone or nitrogen dioxide, 943-954
- 1,1,1-Trichloroethane, fatal intoxication by, 69-74
- Tricyclic antidepressants, over-dosage, management of circulatory complications in, 255-272
- Tumor induction, in mice, effect of dietary selenium on, 273-279
- U
- Urine analysis automated, for PCP, by probability based matching GC/MS, 561-572
- barbiturates, mass screening and confirmation of by RIA/gas chromatography, 221-233
- by ion exchange papers and hemagglutination inhibition, 435-446
- opiates, determination by spin immunoassay, 235-243
- screening for drugs of abuse, 203-219
- V
- Veltri, J. C., 407-417
- Venereal disease, CDC recommended treatment schedule (1974), 127-137
- W
- Waldbott, G. L., 923-927
- Wallace, J. E., 427-434
- Weinberger, C. W., 119-121
- Whitaker, J. Q., 69-74
- Wise, G. W., 33-51
- Wong, L. H., 583-591
- World food crisis, 625-631

